

INOOUT / GUERIDON,
Paola Navone



GERVASONI

1882

GERVASONI

1882



INOUT / GUÉRIDON,
Paola Navone

Side table with concrete GFRC (Glass Fiber Reinforced Concrete) feet, surface finish with a first layer of acrylic and a second transparent polyurethane. These are handcraft made products and due to this reason can vary in colour and dimensions, depending on their manufacture which is not industrial.

Products are finished with protective coatings, that never make the surface impervious, but are useful to slow down absorption of liquids. Cleaning: use water and a neutral detergent on the surface. Avoid direct contact with aggressive chemicals substances, solvents, ammonia, inks, oily soaps, lemon, wine, coffee. In case of contact, rinse the surface immediately and thoroughly. GFRC Concrete (Glass Fiber-Reinforced Concrete): A mixture of cement and glass fibre. Thanks to the low water/cement ratio and the presence of glass fibres, the final product is characterised by unique strength and increased durability. The surface treatment is classified A+ according to the French VOC (Volatile Organic Compounds) standard. Depending on the material and the natural drying process, micro-surfacing or micro-cracks may occur, which do not affect the technical characteristics. The material effect obtained after drying the concrete is always different and makes each item unique.


GERVASONI

1882

Matériaux




Béton GFRG Blanc



Béton GFRG bleu



Béton GFRG Béton GFRG



Béton GFRG gris anthracite




Béton GFRG Noir



Béton GFRG Pois noir

Variantes



Inout 44